

Lab Address:- # Plot No. 564 , 1st floor , Buddhanagar , Near Sai Baba Temple Peerzadiguda Boduppal Hyderabad, Telangana. ICMR Reg .No. SAPALAPVLHT (Covid -19)

LABORATORY TEST REPORT

Name	: Mrs. VANI		
Sample ID	: A0788135		
Age/Gender	: 35 Years/Female	Reg. No	: 0312411050022
Referred by	: Dr. UPENDRA	SPP Code	: SPL-CV-172
Referring Customer	: V CARE MEDICAL DIAGNOSTICS	Collected On	: 05-Nov-2024 12:17 PM
Primary Sample	: Whole Blood	Received On	: 05-Nov-2024 12:51 PM
Sample Tested In	: Whole Blood EDTA	Reported On	: 05-Nov-2024 02:24 PM
Client Address	: Kimtee colony ,Gokul Nagar,Tarnaka	Report Status	: Final Report

HAEMATOLOGY					
Test Name	Results	Units	Biological Reference Interval		
Complete Blood Picture(CBP)					
a) Haemoglobin (Hb)	<u>5.8</u>	g/dL	12-15		
(Methad: Cynmeth Method)	<u>21.9</u>	%	40-50		
RBC Count	4.20	10^12/L	3.8-4.8		
(Method: Cell Impedence)	<u>52</u>	fl	81-101		
MCH	<u>13.9</u>	pg	27-32		
(Method: Calculated)	<u>26.7</u>	g/dL	32.5-34.5		
(Method: Calculated)	<u>20.7</u>	%	11.6-14.0		
(Method: Calculated) Platelet Count (PLT)	<u>456</u>	10^9/L	150-410		
(Method: Cell Impedance) Total WBC Count	10.0	10^9/L	4.0-10.0		
Method: Impedance) <u>Differential Leucocyte Count (DC)</u>					
Neutrophils	<u>74</u>	%	40-70		
(method: Centimpedence) (method: Centimpedence) (Method: Centimpedence)	21	%	20-40		
Monocytes	3	%	2-10		
(method: wind datapy)	2	%	1-6		
Basophils Arthur Microsoft	0	%	1-2		
(metrical intercessed) (metrical intercessed) (metrical intercessed)	<u>7.4</u>	10^9/L	2.0-7.0		
Actional Impact (With Count Cou	2.1	10^9/L	1.0-3.0		
	0.3	10^9/L	0.2-1.0		
	0.2	10^9/L	0.02-0.5		
(wernoa: Calculated) Absolute Basophil ICount	0.00	10^9/L	0.0-0.3		
(Method: PAPs Staining)	Severe Mic	crocytic hypoch	romic anemia with mild neutrophilia and thrombocytosis		

suggestive of Iron deficiency anemia

*** End Of Report ***







Note : This report is subject to the terms and conditions overleaf. Partial Reproduction of this report is not Permitted



Lab Address:- # Plot No. 564 , 1st floor , Buddhanagar , Near Sai Baba Temple Peerzadiguda Boduppal Hyderabad, Telangana. ICMR Reg .No. SAPALAPVLHT (Covid -19)

LABORATORY REPORT TEST

Name	: Mrs. VANI		
Sample ID	: A0788135		
Age/Gender	: 35 Years/Female	Reg. No	: 0312411050022
Referred by	: Dr. UPENDRA	SPP Code	: SPL-CV-172
Referring Customer	: V CARE MEDICAL DIAGNOSTICS	Collected On	: 05-Nov-2024 12:17 PM
Primary Sample	: Whole Blood	Received On	: 05-Nov-2024 12:51 PM
Sample Tested In	: Whole Blood EDTA	Reported On	: 05-Nov-2024 02:24 PM
Client Address	: Kimtee colony ,Gokul Nagar,Tarnaka	Report Status	: Final Report

mm/hr

	HAEMATOLOGY							
	Test Name	ame Results Units Biological Reference Interval						
_								

16

Brythrocyte Sedimentation Rate (ESR)

10 or less





Page 2 of 6 Swannabala.M DR.SWARNA BALA MD PATHOLOGY

Note : This report is subject to the terms and conditions overleaf. Partial Reproduction of this report is not Permitted



Biological Reference Interval

Lab Address:- # Plot No. 564 , 1st floor , Buddhanagar , Near Sai Baba Temple Peerzadiguda Boduppal Hyderabad, Telangana. ICMR Reg .No. SAPALAPVLHT (Covid -19)

LABORATORY REPORT TEST

Name	: Mrs. VANI				
Sample ID	: A0788136, A0788134				
Age/Gender	: 35 Years/Female	Reg. No	: 0312411050022		
Referred by	: Dr. UPENDRA	SPP Code	: SPL-CV-172		
Referring Customer	: V CARE MEDICAL DIAGNOSTICS	Collected On	: 05-Nov-2024 12:17 PM		
Primary Sample	: Whole Blood	Received On	: 05-Nov-2024 12:51 PM		
Sample Tested In	: Plasma-NaF(R), Serum	Reported On	: 05-Nov-2024 02:35 PM		
Client Address	: Kimtee colony ,Gokul Nagar,Tarnaka	Report Status	: Final Report		
CLINICAL BIOCHEMISTRY					

Units

Test Name

ITDOSE INFOSYSTEMS PVT. LTD.

Glucose R	andom (RBS)	96	mg/dL	7	0-140	
Interpretation	of Plasma Glucose based on ADA gu	idelines 2018				
Diagnosis	FastingPlasma Glucose(mg/dL)	2hrsPlasma Glucose(mg/dL)		HbA1c(%)	RBS(mg/dL)	
Prediabetes	100-125	140-199		5.7-6.4	NA	
Diabetes	> = 126	> = 200		> = 6.5	>=200(with symptoms)	
	Reference: D	abetes care 2018:41(su	uppl.1):	S13-S27		I
 The random blood glucose if it is above 200 mg/dL and the patient has increased thirst, polyuria, and polyphagia, suggests diabetes mellitus. As a rule, two-hour glucose samples will reach the fasting level or it will be in the normal range. 						
	a Nitrogon (PUN) Sorum				110	

Results

Blood Orea Nitrogen (BON)-Serum			
Blood Urea Nitrogen (BUN)	7.3	mg/dL	7.0-18.0
(Method: Calculated)	15.8	mg/dL	12.8-42.8

Interpretation: BUN stands for blood urea nitrogen. Urea nitrogen is what forms when protein breaks down. The BUN test is often done to check kidney function

• Higher-than-normal level may be due to:

- Congestive heart failureExcessive protein level in the gastrointestinal tract
- Gastrointestinal bleeding Hypovolemia (dehydration) ٠
- Kidney disease, including glomerulonephritis, pyelonephritis, and acute tubular necrosis •
- Lower-than-normal level may be due to: •
- Liver failure ٠
- Low protein diet ٠ Malnutrition





Page 3 of 6 DR.VAISHNAVI MD BIOCHEMISTRY



Lab Address:- # Plot No. 564 , 1st floor , Buddhanagar , Near Sai Baba Temple Peerzadiguda Boduppal Hyderabad, Telangana. ICMR Reg .No. SAPALAPVLHT (Covid -19)

LABORATORY TEST REPORT

Name	: Mrs. VANI		
Sample ID	: A0788136, A0788134		
Age/Gender	: 35 Years/Female	Reg. No	: 0312411050022
Referred by	: Dr. UPENDRA	SPP Code	: SPL-CV-172
Referring Customer	: V CARE MEDICAL DIAGNOSTICS	Collected On	: 05-Nov-2024 12:17 PM
Primary Sample	: Whole Blood	Received On	: 05-Nov-2024 12:51 PM
Sample Tested In	: Plasma-NaF(R), Serum	Reported On	: 05-Nov-2024 02:35 PM
Client Address	: Kimtee colony ,Gokul Nagar,Tarnaka	Report Status	: Final Report

CLINICAL BIOCHEMISTRY						
Test Name Results Units Biological Reference Interval						
Creatinine (Method: Jaffes Kinetic)	0.64	mg/dL	0.60-1.10			

Interpretation:

• This test is done to see how well your kidneys are working. Creatinine is a chemical waste product of creatine. Creatine is a chemical made by the body and is used to supply energy mainly to muscles.

• A higher than normal level may be due to:

• Renal diseases and insufficiency with decreased glomerular filtration, urinary tract obstruction, reduced renal blood flow including congestive heart failure, shock, and dehydration; rhabdomyolysis can cause elevated serum creatinine.

• A lower than normal level may be due to:

• Small stature, debilitation, decreased muscle mass; some complex cases of severe hepatic disease can cause low serum creatinine levels. In advanced liver disease, low creatinine may result from decreased hepatic production of creatinine and inadequate dietary protein as well as reduced musle mass.

*** End Of Report ***







Page 4 of 6 DR.VAISHNAVI MD BIOCHEMISTRY



TDOSE INFOSYSTEMS PVT. LTD.

Sagepath Labs Pvt. Ltd.

Lab Address:- # Plot No. 564 , 1st floor , Buddhanagar , Near Sai Baba Temple Peerzadiguda Boduppal Hyderabad, Telangana. ICMR Reg .No. SAPALAPVLHT (Covid -19)

LABORATORY TEST REPORT

Name	: Mrs. VANI		
Sample ID	: A0788134		
Age/Gender	: 35 Years/Female	Reg. No	: 0312411050022
Referred by	: Dr. UPENDRA	SPP Code	: SPL-CV-172
Referring Customer	: V CARE MEDICAL DIAGNOSTICS	Collected On	: 05-Nov-2024 12:17 PM
Primary Sample	: Whole Blood	Received On	: 05-Nov-2024 12:51 PM
Sample Tested In	: Serum	Reported On	: 05-Nov-2024 02:35 PM
Client Address	: Kimtee colony ,Gokul Nagar,Tarnaka	Report Status	: Final Report

CLINICAL BIOCHEMISTRY							
Test Name	Results	Units	Biological Reference Interval				
Liver Function Test (LFT)							
Bilirubin(Total)	0.6	mg/dL	0.3-1.2				
Bilirubin (Direct)	0.2	mg/dL	0.0 - 0.3				
Bilirubin (Indirect) (Method: Calculated)	0.4	mg/dL	0.2-1.0				
Aspartate Aminotransferase (AST/SGOT) (Method: IFCC UV Assay)	11	U/L	15-37				
Alanine Aminotransferase (ALT/SGPT)	5	U/L	0-55				
Alkaline Phosphatase(ALP) (Method: Kinetic PNPP-AMP)	93	U/L	30-120				
Gamma Glutamyl Transpeptidase (GGTP)	15	U/L	5-55				
Protein - Total	<u>8.3</u>	g/dL	6.4-8.2				
Albumin (Method: Bromocresol Green (BCG))	4.0	g/dL	3.4-5.0				
Globulin (Method: Calculated)	<u>4.3</u>	g/dL	2.0-4.2				
A:G Ratio (Method: Calculated)	0.93	%	0.8-2.0				
SGOT/SGPT Ratio	2.20						

Alanine Aminotransferase(ALT) is an enzyme found in liver and kidneys cells. ALT helps create energy for liver cells. Damaged liver cells release ALT into the bloodstream, which can elevate ALT levels in the blood.

Aspartate Aminotransferase (AST) is an enzyme in the liver and muscles that helps metabolizes amino acids. Similarly to ALT, elevated AST levels may be a sign of liver damage or liver disease.

Alkaline phosphate (ALP) is an enzyme present in the blood. ALP contributes to numerous vital bodily functions, such as supplying nutrients to the liver, promoting bone growth, and metabolizing fat in the intestines.

Gamma-glutamyl Transpeptidase (GGTP) is an enzyme that occurs primarily in the liver, but it is also present in the kidneys, pancreas, gallbladder, and spleen. Higher than normal concentrations of GGTP in the blood may indicate alcohol-related liver damage. Elevated GGTP levels can also increase the risk of developing certain types of cancer.

Bilirubin is a waste product that forms when the liver breaks down red blood cells. Bilirubin exits the body as bile in stool. High levels of bilirubin can cause jaundice - a condition in which the skin and whites of the eyes turn yellow- and may indicate liver damage.

Albumin is a protein that the liver produces. The liver releases albumin into the bloodstream, where it helps fight infections and transport vitamins, hormones, and enzymes throughout the body. Liver damage can cause abnormally low albumin levels.

*** End Of Report ***









Note : This report is subject to the terms and conditions overleaf. Partial Reproduction of this report is not Permitted



Lab Address:- # Plot No. 564 , 1st floor , Buddhanagar , Near Sai Baba Temple Peerzadiguda Boduppal Hyderabad, Telangana. ICMR Reg .No. SAPALAPVLHT (Covid -19)

LABORATORY TEST REPORT

Name Sample ID	: Mrs. VANI		
	25 Veere (Femele		
Age/Gender	: 35 Years/Female	Reg. NO	: 0312411050022
Referred by	: Dr. UPENDRA	SPP Code	: SPL-CV-172
Referring Customer	: V CARE MEDICAL DIAGNOSTICS	Collected On	: 05-Nov-2024 12:17 PM
Primary Sample	: Whole Blood	Received On	: 05-Nov-2024 12:51 PM
Sample Tested In	: Serum	Reported On	: 05-Nov-2024 01:48 PM
Client Address	: Kimtee colony ,Gokul Nagar,Tarnaka	Report Status	: Final Report

CLINICAL BIOCHEMISTRY					
Test Name	Results	Units	Biological Reference Interval		
Thyroid Profile-I(TFT)					
	81.17	ng/dL	70-204		
T4 (Thyroxine) (Method: CLIA)	8.0	µg/dL	3.2-12.6		
TSH -Thyroid Stimulating Hormone	1.09	µIU/mL	0.35-5.5		

Pregnancy & Cord Blood

T3 (Triiodothyronine):	T4 (Thyroxine)	TSH (Thyroid Stimulating Hormone)
First Trimester : 81-190 ng/dL	15 to 40 weeks:9.1-14.0 μg/dL	First Trimester : 0.24-2.99 µIU/mL
Second&Third Trimester :100-260 ng/dL		Second Trimester: 0.46-2.95 µIU/mL
		Third Trimester : 0.43-2.78 µIU/mL
Cord Blood: 30-70 ng/dL	Cord Blood: 7.4-13.0 µg/dL	Cord Blood: : 2.3-13.2 µIU/mL

Interpretation:

- Thyroid gland is a butterfly-shaped endocrine gland that is normally located in the lower front of the neck. The thyroid's job is to make thyroid hormones, which are secreted into the blood and then carried to every tissue in the body. Thyroid hormones help the body use energy, stay warm and keep the brain, heart, muscles, and other organs working as they should.
- Thyroid produces two major hormones: triiodothyronine (T3) and thyroxine (T4). If thyroid gland doesn't produce enough of these hormones, you may experience symptoms such as weight gain, lack of energy, and depression. This condition is called hypothyroidism.
- Thyroid gland produces too many hormones, you may experience weight loss, high levels of anxiety, tremors, and a sense of being on a high. This is called hyperthyroidism.
- TSH interacts with specific cell receptors on the thyroid cell surface and exerts two main actions. The first action is to stimulate cell reproduction and hypertrophy. Secondly, TSH stimulates the thyroid gland to synthesize and secrete T3 and T4.
- The ability to quantitate circulating levels of TSH is important in evaluating thyroid function. It is especially useful in the differential diagnosis of primary (thyroid) from secondary (pituitary) and tertiary (hypothalamus) hypothyroidism. In primary hypothyroidism, TSH levels are significantly elevated, while in secondary and tertiary hypothyroidism, TSH levels are low.

*** End Of Report ***







