










**LABORATORY TEST REPORT**

Name	: Mr. SHIVA KUMAR		
Sample ID	: A0451412		
Age/Gender	: 29 Years/Male	Reg. No	: 0312411140029
Referred by	: Dr. SUDEPTI	SPP Code	: SPL-CV-172
Referring Customer	: V CARE MEDICAL DIAGNOSTICS	Collected On	: 14-Nov-2024 06:56 PM
Primary Sample	: Whole Blood	Received On	: 14-Nov-2024 10:29 PM
Sample Tested In	: Whole Blood EDTA	Reported On	: 14-Nov-2024 11:02 PM
Client Address	: Kimtee colony ,Gokul Nagar,Tarnaka	Report Status	: Final Report












**HAEMATOLOGY**

Test Name	Results	Units	Biological Reference Interval
-----------	---------	-------	-------------------------------

**Complete Blood Picture(CBP)**

 <b>Haemoglobin (Hb)</b> (Method: Cymeth Method)	15.1	g/dL	13-17
 <b>Haematocrit (HCT)</b> (Method: Calculated)	45.3	%	40-50
 <b>RBC Count</b> (Method: Cell Impedance)	5.32	10 <sup>12</sup> /L	4.5-5.5
 <b>MCV</b> (Method: Calculated)	85	fl	81-101
 <b>MCH</b> (Method: Calculated)	28.4	pg	27-32
 <b>MCHC</b> (Method: Calculated)	33.3	g/dL	32.5-34.5
 <b>RDW-CV</b> (Method: Calculated)	13.3	%	11.6-14.0
 <b>Platelet Count (PLT)</b> (Method: Cell Impedance)	252	10 <sup>9</sup> /L	150-410
 <b>Total WBC Count</b> (Method: Impedance)	8.2	10 <sup>9</sup> /L	4.0-10.0

**Differential Leucocyte Count (DC)**

 <b>Neutrophils</b> (Method: Cell Impedance)	58	%	40-70
 <b>Lymphocytes</b> (Method: Cell Impedance)	34	%	20-40
 <b>Monocytes</b> (Method: Microscopy)	05	%	2-10
 <b>Eosinophils</b> (Method: Microscopy)	03	%	1-6
 <b>Basophils</b> (Method: Microscopy)	00	%	1-2
 <b>Absolute Neutrophils Count</b> (Method: Impedance)	4.76	10 <sup>9</sup> /L	2.0-7.0
 <b>Absolute Lymphocyte Count</b> (Method: Impedance)	2.79	10 <sup>9</sup> /L	1.0-3.0
 <b>Absolute Monocyte Count</b> (Method: Calculated)	0.41	10 <sup>9</sup> /L	0.2-1.0
 <b>Absolute Eosinophils Count</b> (Method: Calculated)	0.25	10 <sup>9</sup> /L	0.02-0.5
 <b>Absolute Basophil ICount</b> (Method: Calculated)	0.00	10 <sup>9</sup> /L	0.0-0.3

**Morphology**

(Method: PAPS Staining)


Normocytic Normochromic



**LABORATORY TEST REPORT**

Name	: Mr. SHIVA KUMAR		
Sample ID	: A0451411		
Age/Gender	: 29 Years/Male	Reg. No	: 0312411140029
Referred by	: Dr. SUDEPTI	SPP Code	: SPL-CV-172
Referring Customer	: V CARE MEDICAL DIAGNOSTICS	Collected On	: 14-Nov-2024 06:56 PM
Primary Sample	: Whole Blood	Received On	: 14-Nov-2024 10:29 PM
Sample Tested In	: Serum	Reported On	: 14-Nov-2024 11:17 PM
Client Address	: Kimtee colony ,Gokul Nagar,Tarnaka	Report Status	: Final Report


**CLINICAL BIOCHEMISTRY**

Test Name	Results	Units	Biological Reference Interval
 25 - Hydroxy Vitamin D <small>(Method: CLIA)</small>	<b>16.69</b>	ng/mL	<20.0-Deficiency 20.0-30.0-Insufficiency 30.0-100.0-Sufficiency >100.0-Potential Intoxication

**Interpretation:**

- Vitamin D helps your body absorb calcium and maintain strong bones throughout your entire life. Your body produces vitamin D when the sun's UV rays contact your skin. Other good sources of the vitamin include fish, eggs, and fortified dairy products. It's also available as a dietary supplement.
- Vitamin D must go through several processes in your body before your body can use it. The first transformation occurs in the liver. Here, your body converts vitamin D to a chemical known as 25-hydroxyvitamin D, also called calcidiol.
- The 25-hydroxy vitamin D test is the best way to monitor vitamin D levels. The amount of 25-hydroxyvitamin D in your blood is a good indication of how much vitamin D your body has. The test can determine if your vitamin D levels are too high or too low.
- The test is also known as the 25-OH vitamin D test and the calcidiol 25-hydroxycholecalciferol test. It can be an important indicator of osteoporosis (bone weakness) and rickets (bone malformation).

**Those who are at high risk of having low levels of vitamin D include:**

- people who don't get much exposure to the sun
- older adults
- people with obesity.
- dietary deficiency

**Increased Levels:** Vitamin D Intoxication

Method : CLIA

Vitamin- B12 (cyanocobalamin)	<b>190</b>	pg/mL	211-911
-------------------------------	------------	-------	---------

(Method: CLIA)
**Interpretation:**

This test is most often done when other blood tests suggest a condition called megaloblastic anemia. Pernicious anemia is a form of megaloblastic anemia caused by poor vitamin B12 absorption. This can occur when the stomach makes less of the substance the body needs to properly absorb vitamin B12.

**Causes of vitamin B12 deficiency include: Diseases that cause malabsorption**

- Lack of intrinsic factor, a protein that helps the intestine absorb vitamin B12
- Above normal heat production (for example, with hyperthyroidism)

**An increased vitamin B12 level is uncommon in:**

- Liver disease (such as cirrhosis or hepatitis)
- Myeloproliferative disorders (for example, polycythemia vera and chronic myelogenous leukemia)



  
**DR. VAISHNAVI**  
**MD BIOCHEMISTRY**

Page 2 of 4

**LABORATORY TEST REPORT**

Name	: Mr. SHIVA KUMAR		
Sample ID	: A0451411		
Age/Gender	: 29 Years/Male	Reg. No	: 0312411140029
Referred by	: Dr. SUDEPTI	SPP Code	: SPL-CV-172
Referring Customer	: V CARE MEDICAL DIAGNOSTICS	Collected On	: 14-Nov-2024 06:56 PM
Primary Sample	: Whole Blood	Received On	: 14-Nov-2024 10:29 PM
Sample Tested In	: Serum	Reported On	: 14-Nov-2024 11:17 PM
Client Address	: Kimtee colony ,Gokul Nagar,Tarnaka	Report Status	: Final Report



**CLINICAL BIOCHEMISTRY**

Test Name	Results	Units	Biological Reference Interval
Ferritin (Method: CLIA)	90.9	ng/mL	22-322

**Interpretation:**

The ferritin blood test measures the level of ferritin in the blood.

Ferritin is a protein inside your cells that stores iron. It allows your body to use the iron when it needs it. A ferritin test indirectly measures the amount of iron in your blood.

**A higher-than-normal ferritin level may be due to:**

- 1.Liver disease due to alcohol abuse
- 2.Any autoimmune disorder, such as rheumatoid arthritis
- 3.Frequent transfusion of red blood cells

**A lower-than-normal level of ferritin occurs if you have anemia caused by low iron levels in the body. This type of anemia may be due to:**

- 1.A diet too low in iron
- 2.Heavy bleeding from an injury
- 3.Heavy menstrual bleeding

\*\*\* End Of Report \*\*\*



*Dr. Vaishnavi*  
**DR.VAISHNAVI**  
**MD BIOCHEMISTRY**

Page 3 of 4

**LABORATORY TEST REPORT**

Name	: Mr. SHIVA KUMAR		
Sample ID	: A0451411		
Age/Gender	: 29 Years/Male	Reg. No	: 0312411140029
Referred by	: Dr. SUDEPTI	SPP Code	: SPL-CV-172
Referring Customer	: V CARE MEDICAL DIAGNOSTICS	Collected On	: 14-Nov-2024 06:56 PM
Primary Sample	: Whole Blood	Received On	: 14-Nov-2024 10:29 PM
Sample Tested In	: Serum	Reported On	: 14-Nov-2024 11:36 PM
Client Address	: Kimtee colony ,Gokul Nagar,Tarnaka	Report Status	: Final Report


**CLINICAL BIOCHEMISTRY**

Test Name	Results	Units	Biological Reference Interval
-----------	---------	-------	-------------------------------

**Thyroid Profile-I(TFT)**

 <b>T3 (Triiodothyronine)</b> <small>(Method: CLIA)</small>	127.46	ng/dL	70-204
 <b>T4 (Thyroxine)</b> <small>(Method: CLIA)</small>	9.3	µg/dL	3.2-12.6
 <b>TSH -Thyroid Stimulating Hormone</b> <small>(Method: CLIA)</small>	1.90	µIU/mL	0.35-5.5

**Pregnancy & Cord Blood**

<b>T3 (Triiodothyronine):</b>	<b>T4 (Thyroxine)</b>	<b>TSH (Thyroid Stimulating Hormone)</b>
First Trimester : 81-190 ng/dL	15 to 40 weeks:9.1-14.0 µg/dL	First Trimester : 0.24-2.99 µIU/mL
Second&Third Trimester :100-260 ng/dL		Second Trimester: 0.46-2.95 µIU/mL
		Third Trimester : 0.43-2.78 µIU/mL
Cord Blood: 30-70 ng/dL	Cord Blood: 7.4-13.0 µg/dL	Cord Blood: : 2.3-13.2 µIU/mL

**Interpretation:**

- Thyroid gland is a butterfly-shaped endocrine gland that is normally located in the lower front of the neck. The thyroid's job is to make thyroid hormones, which are secreted into the blood and then carried to every tissue in the body. Thyroid hormones help the body use energy, stay warm and keep the brain, heart, muscles, and other organs working as they should.
- Thyroid produces two major hormones: triiodothyronine (T3) and thyroxine (T4). If thyroid gland doesn't produce enough of these hormones, you may experience symptoms such as weight gain, lack of energy, and depression. This condition is called hypothyroidism.
- Thyroid gland produces too many hormones, you may experience weight loss, high levels of anxiety, tremors, and a sense of being on a high. This is called hyperthyroidism.
- TSH interacts with specific cell receptors on the thyroid cell surface and exerts two main actions. The first action is to stimulate cell reproduction and hypertrophy. Secondly, TSH stimulates the thyroid gland to synthesize and secrete T3 and T4.
- The ability to quantitate circulating levels of TSH is important in evaluating thyroid function. It is especially useful in the differential diagnosis of primary (thyroid) from secondary (pituitary) and tertiary (hypothalamus) hypothyroidism. In primary hypothyroidism, TSH levels are significantly elevated, while in secondary and tertiary hypothyroidism, TSH levels are low.

\*\*\* End Of Report \*\*\*



*Dr. Vaishnavi*  
**DR. VAISHNAVI**  
**MD BIOCHEMISTRY**

Page 4 of 4