



Lab Address:- # Plot No. 564, 1st floor, Buddhanagar, Near Sai Baba Temple Peerzadiguda Boduppal Hyderabad, Telangana. ICMR Reg. No. SAPALAPVLHT (Covid -19)

#### LABORATORY TEST REPORT

Name : Mrs. DIVYA Sample ID : A1307735

Age/Gender : 28 Years/Female
Referred by : Dr. SUNEETHA YERRAM

Referring Customer : V CARE MEDICAL DIAGNOSTICS

Primary Sample :

Sample Tested In : Urine

Client Address : Kimtee colony ,Gokul Nagar,Tarnaka

Reg. No : 0312412250010

SPP Code : SPL-CV-172 Collected On : 25-Dec-2024 09:02 AM

Received On : 25-Dec-2024 12:48 PM Reported On : 25-Dec-2024 04:27 PM

Report Status : Final Report

# **CLINICAL BIOCHEMISTRY**

## **GLUCOSE TOLERANCE TEST (GTT): 3 SAMPLES**

Test Name Results Units Biological Reference Interval

Fasting Urine Glucose

Negative

Negative

\*\*\* End Of Report \*\*\*





Page 1 of 4

DR.VAISHNAVI
MD BIOCHEMISTRY



Lab Address:- # Plot No. 564, 1st floor, Buddhanagar, Near Sai Baba Temple Peerzadiguda Boduppal Hyderabad, Telangana. ICMR Reg .No. SAPALAPVLHT (Covid -19)

#### LABORATORY TEST **REPORT**

Name : Mrs. DIVYA Sample ID : A1308718

Age/Gender : 28 Years/Female Referred by : Dr. SUNEETHA YERRAM

Referring Customer: V CARE MEDICAL DIAGNOSTICS Primary Sample : Whole Blood Sample Tested In : Whole Blood EDTA

Client Address : Kimtee colony ,Gokul Nagar,Tarnaka

Reg. No : 0312412250010 SPP Code : SPL-CV-172

Collected On : 25-Dec-2024 09:02 AM Received On : 25-Dec-2024 12:59 PM Reported On : 25-Dec-2024 02:52 PM

Report Status : Final Report

HAEMATOLOGY			
Test Name	Results	Units	Biological Reference Interval
Complete Blood Picture(CBP)			
Haemoglobin (Hb)	11.1	g/dL	12-15
(Method: Cynmeth Method)	<u>39.8</u>	%	40-50
(Method: Calculated)	4.80	10^12/L	3.8-4.8
(Method: Cell Impedence)	82	fl	81-101
(Method: Calculated)	26. <u>5</u>	" pg	27-32
(Method: Calculated)	<u>20.5</u> 31.5	g/dL	32.5-34.5
(Method: Calculated)		•	
RDW-CV (Method: Calculated)	<u>22.6</u>	%	11.6-14.0
Platelet Count (PLT) (Method: Cell Impedance)	175	10^9/L	150-410
Total WBC Count (Method: Impedance)	8.8	10^9/L	4.0-10.0
Differential Leucocyte Count (DC)			
Neutrophils (Method: Cell Impedence)	70	%	40-70
Lymphocytes (Method: Cell Impedence)	21	%	20-40
Monocytes (Method: Microscopy)	06	%	2-10
Eosinophils (Method: Microscopy)	03	%	1-6
Basophils (Method: Microscopy)	00	%	1-2
(Method: Impedence)	6.16	10^9/L	2.0-7.0
Absolute Lymphocyte Count	1.85	10^9/L	1.0-3.0
Absolute Monocyte Count (Method: Calculated)	0.53	10^9/L	0.2-1.0
Absolute Eosinophils Count (Method: Calculated)	0.26	10^9/L	0.02-0.5
Absolute Basophil ICount (Method: Calculated)	0.00	10^9/L	0.0-0.3
Morphology (Method: PAPS Stathing )	Anisocytosis	with Normocyt	tic normochromic







Page 2 of 4 Swarnabala.M DR.SWARNA BALA **MD PATHOLOGY** 



Lab Address:- # Plot No. 564, 1st floor, Buddhanagar, Near Sai Baba Temple Peerzadiguda Boduppal Hyderabad, Telangana. ICMR Reg. No. SAPALAPVLHT (Covid -19)

#### LABORATORY TEST REPORT

Name : Mrs. DIVYA Sample ID : A1307735

Age/Gender : 28 Years/Female Reg. No : 0312412250010
Referred by : Dr. SUNEETHA YERRAM SPP Code : SPL-CV-172

Referring Customer : V CARE MEDICAL DIAGNOSTICS Collected On : 25-Dec-2024 09:02 AM
Primary Sample : Received On : 25-Dec-2024 12:48 PM
Sample Tested In : Urine Reported On : 25-Dec-2024 04:04 PM

Client Address : Kimtee colony ,Gokul Nagar,Tarnaka Report Status : Final Report

### CLINICAL PATHOLOGY

Test Name	Results	Units	Biological Reference Interval
-----------	---------	-------	-------------------------------

# **Complete Urine Analysis (CUE)**

### **Physical Examination**

Colour Pale Yellow Straw to light amber

Appearance Clear Clear

#### **Chemical Examination**

Glucose
(Method: Strip Reflectance)

Protein
(Method: Strip Reflectance)

Regative

Negative

Specific Gravity
(Method: Strip Reflectance)

1.000 - 1.030

Blood (Method: Strip Reflectance)

Reaction (pH)

Negative Negative

6.5

5.0 - 8.5

Nitrites Negative Negative

Leukocyte esterase Negative Negative

#### Microscopic Examination (Microscopy)


PUS(WBC) Cells 02-03 00-05 /hpf R.B.C. Nil Nil /hpf **Epithelial Cells** 02-03 /hpf 00-05 Absent Absent Casts Crystals Absent Absent Bacteria Nil Nil Nil **Budding Yeast Cells** Absent

Comments: Urine analysis is one of the most useful laboratory tests as it identifies a wide range of medical conditions including renal damage, urinary tract infections, diabetes, hypertension and drug toxicity.













Lab Address:- # Plot No. 564 , 1st floor , Buddhanagar , Near Sai Baba Temple Peerzadiguda Boduppal Hyderabad, Telangana. ICMR Reg .No. SAPALAPVLHT (Covid -19)

#### LABORATORY TEST REPORT

Name : Mrs. DIVYA

Sample ID : A1308713, A1308716, A1308715,

Age/Gender : 28 Years/Female Reg. No : 0312412250010

Referred by : Dr. SUNEETHA YERRAM SPP Code : SPL-CV-172

Referring Customer : V CARE MEDICAL DIAGNOSTICS Collected On : 25-Dec-2024 09:02 AM
Primary Sample : Whole Blood Received On : 25-Dec-2024 12:59 PM

Sample Tested In : Serum, Plasma-NaF(F), Plasma-N Reported On : 25-Dec-2024 04:39 PM

Client Address : Kimtee colony ,Gokul Nagar,Tarnaka Report Status : Final Report

### **CLINICAL BIOCHEMISTRY**

## **GLUCOSE TOLERANCE TEST (GTT): 3 SAMPLES**

Test Name	Results	Units	Biological Reference Interval
TSH -Thyroid Stimulating Hormone	3.04	μIU/mL	0.35-5.5

#### Pregnancy & Cord Blood

rregnancj ee co	14 21004	
		TSH (Thyroid Stimulating Hormone (μIU/mL)
First Trimester	: 0.24-2.99	
Second Trimester	r: 0.46-2.95	
Third Trimester	: 0.43-2.78	
Cord Blood	: 2.3-13.2	

- TSH is synthesized and secreted by the anterior pituitary in response to a negative feedback mechanism involving concentrations of FT3 (free T3) and FT4 (free T4). Additionally, the hypothalamic tripeptide, thyrotropin-releasing hormone (TRH), directly stimulates TSH production.
- TSH interacts with specific cell receptors on the thyroid cell surface and exerts two main actions. The first action is to stimulate cell reproduction and hypertrophy. Secondly, TSH stimulates the thyroid gland to synthesize and secrete T3 and T4
- The ability to quantitate circulating levels of TSH is important in evaluating thyroid function. It is especially useful in the differential diagnosis of primary (thyroid) from secondary (pituitary) and tertiary (hypothalamus) hypothyroidism. In primary hypothyroidism, TSH levels are significantly elevated, while in secondary and tertiary hypothyroidism. TSH levels are low
- TRH stimulation differentiates secondary and tertiary hypothyroidism by observing the change in patient TSH levels. Typically, the TSH response to TRH stimulation is absent in cases of secondary hypothyroidism, and normal to exaggerated in tertiary hypothyroidism
- Historically, TRH stimulation has been used to confirm primary hyperthyroidism, indicated by elevated T3 and T4 levels and low or undetectable TSH levels. TSH assays with increased sensitivity and specificity provide a primary diagnostic tool to differentiate hyperthyroid from euthyroid patients.

Glucose Fasting(GTT) (Method: Hexokinase (HK))	68	mg/dL	Refer Interpretation
Glucose 1st hour sample (Method: Hexokinase (HK))	125	mg/dL	Reference Interpretation
Glucose 2nd hour sample (Method: Hexokinase (HK))	95	mg/dL	Refer Interpretation

### GTT Reference range (75 g Glucose Load)

Pregnancy	Non Pregnant and Males
Fasting: < 92 mg/dL	Fasting: 60-100 mg/dL
1st hour sample : < 180 mg/dL	1st hour sample : < 200 mg/dL
2nd hour sample: < 153 mg/dL	2nd hour sample: < 140 mg/dL

Interpretation of Plasma Glucose based on ADA guidelines 2018

\*\*\* End Of Report \*\*\*







Page 4 of 4

DR.VAISHNAVI
MD BIOCHEMISTRY