

LABORATORY TEST REPORT

Name	: Mr. PRATHYUSH		
Sample ID	: A1309934		
Age/Gender	: 33 Years/Male	Reg. No	: 0312502030057
Referred by	: Dr. SELF	SPP Code	: SPL-CV-172
Referring Customer	: V CARE MEDICAL DIAGNOSTICS	Collected On	: 03-Feb-2025 04:31 PM
Primary Sample	: Whole Blood	Received On	: 03-Feb-2025 06:19 PM
Sample Tested In	: Serum	Reported On	: 03-Feb-2025 07:50 PM
Client Address	: Kimtee colony ,Gokul Nagar,Tarnaka	Report Status	: Final Report



CLINICAL BIOCHEMISTRY

VCARE FEVER PROFILE-2

Test Name	Results	Units	Biological Reference Interval
-----------	---------	-------	-------------------------------

C-Reactive protein-(CRP)

1.2

mg/L

Upto:6.0

(Method: Immunoturbidimetry)

Interpretation:

C-reactive protein (CRP) is produced by the liver. The level of CRP rises when there is inflammation throughout the body. It is one of a group of proteins called acute phase reactants that go up in response to inflammation. The levels of acute phase reactants increase in response to certain inflammatory proteins called cytokines. These proteins are produced by white blood cells during inflammation.

A positive test means you have inflammation in the body. This may be due to a variety of conditions, including:

- Connective tissue disease
- Heart attack
- Infection
- Inflammatory bowel disease (IBD)
- Lupus
- Pneumonia
- Rheumatoid arthritis




DR. LAVANYA LAGISETTY
MD BIOCHEMISTRY

LABORATORY TEST REPORT

Name	: Mr. PRATHYUSH		
Sample ID	: A1309935		
Age/Gender	: 33 Years/Male	Reg. No	: 0312502030057
Referred by	: Dr. SELF	SPP Code	: SPL-CV-172
Referring Customer	: V CARE MEDICAL DIAGNOSTICS	Collected On	: 03-Feb-2025 04:31 PM
Primary Sample	: Whole Blood	Received On	: 03-Feb-2025 06:19 PM
Sample Tested In	: Whole Blood EDTA	Reported On	: 03-Feb-2025 08:09 PM
Client Address	: Kimtee colony , Gokul Nagar, Tarnaka	Report Status	: Final Report



HAEMATOLOGY

VCARE FEVER PROFILE-2

Test Name	Results	Units	Biological Reference Interval
-----------	---------	-------	-------------------------------

MALARIA ANTIGEN (VIVAX & FALCIPARUM)

Plasmodium Vivax Antigen <small>(Method: Immuno Chromatography)</small>	Negative		Negative
Plasmodium Falciparum <small>(Method: Immuno Chromatography)</small>	Negative		Negative

Note :

- In the gametogony stage, P.Falciparum may not secrete. Such carriers may show falsely negative result.
- This test is used to indicate therapeutic response. Positive test results 5 - 10 days post treatment indicate the possibility of a resistant strain of malaria.

Comments :

Malaria is protozoan parasitic infection, prevalent in the Tropical & Subtropical areas of the world. Four species of plasmodium parasites are responsible for malaria infections in human viz. P.Falciparum, P.Vivax, P.Ovale & P.malariae. Falciparum infections are associated with Cerebral malaria and drug resistance where as vivax infection is associated with high rate of infectivity and relapse. Differentiation between P.Falciparum and P.Vivax is utmost importance for better patient management and speedy recovery.

*** End Of Report ***



Page 2 of 9
Swarnabala - M
DR.SWARNA BALA
MD PATHOLOGY

LABORATORY TEST REPORT

Name	: Mr. PRATHYUSH		
Sample ID	: A1309935		
Age/Gender	: 33 Years/Male	Reg. No	: 0312502030057
Referred by	: Dr. SELF	SPP Code	: SPL-CV-172
Referring Customer	: V CARE MEDICAL DIAGNOSTICS	Collected On	: 03-Feb-2025 04:31 PM
Primary Sample	: Whole Blood	Received On	: 03-Feb-2025 06:19 PM
Sample Tested In	: Whole Blood EDTA	Reported On	: 03-Feb-2025 07:35 PM
Client Address	: Kimtee colony , Gokul Nagar, Tarnaka	Report Status	: Final Report



HAEMATOLOGY

VCARE FEVER PROFILE-2

Test Name	Results	Units	Biological Reference Interval
-----------	---------	-------	-------------------------------

COMPLETE BLOOD COUNT (CBC)

Haemoglobin (Hb) (Method: Cynmeth Method)	14.5	g/dL	13-17
RBC Count (Method: Cell Impedance)	4.72	10 ¹² /L	4.5-5.5
Haematocrit (HCT) (Method: Calculated)	40.3	%	40-50
MCV (Method: Calculated)	85	fl	81-101
MCH (Method: Calculated)	30.8	pg	27-32
MCHC (Method: Calculated)	36.1	g/dL	32.5-34.5
RDW-CV (Method: Calculated)	12.4	%	11.6-14.0
Platelet Count (PLT) (Method: Cell Impedance)	100	10 ⁹ /L	150-410
Total WBC Count (Method: Impedance)	4.5	10 ⁹ /L	4.0-10.0
Neutrophils (Method: Cell Impedance)	54	%	40-70
Absolute Neutrophils Count (Method: Impedance)	2.43	10 ⁹ /L	2.0-7.0
Lymphocytes (Method: Cell Impedance)	37	%	20-40
Absolute Lymphocyte Count (Method: Impedance)	1.67	10 ⁹ /L	1.0-3.0
Monocytes (Method: Microscopy)	07	%	2-10
Absolute Monocyte Count (Method: Calculated)	0.32	10 ⁹ /L	0.2-1.0
Eosinophils (Method: Microscopy)	02	%	1-6
Absolute Eosinophils Count (Method: Calculated)	0.09	10 ⁹ /L	0.02-0.5
Basophils (Method: Microscopy)	00	%	1-2
Absolute Basophil ICount (Method: Calculated)	0.00	10 ⁹ /L	0.0-0.3
Atypical cells	0.00	%	

Morphology

WBC	Within Normal Limits
RBC	Normocytic normochromic
Platelets	Mild Thrombocytopenia With giant platelets

*** End Of Report ***



Page 3 of 9
Swarnabala - M
DR.SWARNA BALA
MD PATHOLOGY

LABORATORY TEST REPORT

Name	: Mr. PRATHYUSH		
Sample ID	: A1309935		
Age/Gender	: 33 Years/Male	Reg. No	: 0312502030057
Referred by	: Dr. SELF	SPP Code	: SPL-CV-172
Referring Customer	: V CARE MEDICAL DIAGNOSTICS	Collected On	: 03-Feb-2025 04:31 PM
Primary Sample	: Whole Blood	Received On	: 03-Feb-2025 06:19 PM
Sample Tested In	: Whole Blood EDTA	Reported On	: 03-Feb-2025 08:09 PM
Client Address	: Kimtee colony ,Gokul Nagar,Tarnaka	Report Status	: Final Report



HAEMATOLOGY

VCARE FEVER PROFILE-2

Test Name	Results	Units	Biological Reference Interval
-----------	---------	-------	-------------------------------

 Erythrocyte Sedimentation Rate (ESR)	7	mm/hr	10 or less
--	---	-------	------------

(Method: Westergren method)

Comments : ESR is an acute phase reactant which indicates presence and intensity of an inflammatory process. It is never diagnostic of a specific disease. It is used to monitor the course or response to treatment of certain diseases. Extremely high levels are found in cases of malignancy, hematologic diseases, collagen disorders and renal diseases.



LABORATORY TEST REPORT

Name	: Mr. PRATHYUSH		
Sample ID	: a1309931		
Age/Gender	: 33 Years/Male	Reg. No	: 0312502030057
Referred by	: Dr. SELF	SPP Code	: SPL-CV-172
Referring Customer	: V CARE MEDICAL DIAGNOSTICS	Collected On	: 03-Feb-2025 04:31 PM
Primary Sample	:	Received On	: 03-Feb-2025 06:19 PM
Sample Tested In	: Urine	Reported On	: 03-Feb-2025 06:33 PM
Client Address	: Kimtee colony , Gokul Nagar, Tarnaka	Report Status	: Final Report


CLINICAL PATHOLOGY
VCARE FEVER PROFILE-2

Test Name	Results	Units	Biological Reference Interval
-----------	---------	-------	-------------------------------

Complete Urine Analysis (CUE)
Physical Examination

Colour	Pale Yellow	Straw to light amber
Appearance	HAZY	Clear

Chemical Examination

Glucose <small>(Method: Strip Reflectance)</small>	Negative	Negative
Protein <small>(Method: Strip Reflectance)</small>	Negative	Negative
Bilirubin (Bile) <small>(Method: Strip Reflectance)</small>	Negative	Negative
Urobilinogen <small>(Method: Ehrlich's reagent)</small>	Negative	Negative
Ketone Bodies <small>(Method: Strip Reflectance)</small>	Negative	Negative
Specific Gravity <small>(Method: Strip Reflectance)</small>	1.005	1.000 - 1.030
Blood <small>(Method: Strip Reflectance)</small>	Negative	Negative
Reaction (pH) <small>(Method: Reagent Strip Reflectance)</small>	6.5	5.0 - 8.5
Nitrites <small>(Method: Strip Reflectance)</small>	Negative	Negative
Leukocyte esterase <small>(Method: Reagent Strip Reflectance)</small>	Negative	Negative

Microscopic Examination (Microscopy)

PUS(WBC) Cells <small>(Method: Microscopy)</small>	02-04	/hpf	00-05
R.B.C. <small>(Method: Microscopic)</small>	Nil	/hpf	Nil
Epithelial Cells <small>(Method: Microscopic)</small>	01-02	/hpf	00-05
Casts <small>(Method: Microscopic)</small>	Absent		Absent
Crystals <small>(Method: Microscopic)</small>	Absent		Absent
Bacteria	Nil		Nil
Budding Yeast Cells <small>(Method: Microscopy)</small>	Nil		Absent



LABORATORY TEST REPORT

Name	: Mr. PRATHYUSH		
Sample ID	: A1309936		
Age/Gender	: 33 Years/Male	Reg. No	: 0312502030057
Referred by	: Dr. SELF	SPP Code	: SPL-CV-172
Referring Customer	: V CARE MEDICAL DIAGNOSTICS	Collected On	: 03-Feb-2025 04:31 PM
Primary Sample	: Whole Blood	Received On	: 03-Feb-2025 06:19 PM
Sample Tested In	: Plasma-NaF(R)	Reported On	: 03-Feb-2025 07:06 PM
Client Address	: Kimtee colony ,Gokul Nagar,Tarnaka	Report Status	: Final Report


CLINICAL BIOCHEMISTRY
VCARE FEVER PROFILE-2

Test Name	Results	Units	Biological Reference Interval
-----------	---------	-------	-------------------------------

Glucose Random (RBS) 93 mg/dL 70-140
 (Method: Hexokinase (HK))

Interpretation of Plasma Glucose based on ADA guidelines 2018

Diagnosis	Fasting Plasma Glucose(mg/dL)	2hrs Plasma Glucose(mg/dL)	HbA1c(%)	RBS(mg/dL)
Prediabetes	100-125	140-199	5.7-6.4	NA
Diabetes	> = 126	> = 200	> = 6.5	>=200(with symptoms)

Reference: Diabetes care 2018;41(suppl.1):S13-S27

- The random blood glucose if it is above 200 mg/dL and the patient has increased thirst, polyuria, and polyphagia, suggests diabetes mellitus.
- As a rule, two-hour glucose samples will reach the fasting level or it will be in the normal range.

*** End Of Report ***

Excellence In Health Care



[Signature]
 DR. LAVANYA LAGISETTY
 MD BIOCHEMISTRY













LABORATORY TEST REPORT

Name	: Mr. PRATHYUSH		
Sample ID	: A1309934		
Age/Gender	: 33 Years/Male	Reg. No	: 0312502030057
Referred by	: Dr. SELF	SPP Code	: SPL-CV-172
Referring Customer	: V CARE MEDICAL DIAGNOSTICS	Collected On	: 03-Feb-2025 04:31 PM
Primary Sample	: Whole Blood	Received On	: 03-Feb-2025 06:19 PM
Sample Tested In	: Serum	Reported On	: 03-Feb-2025 07:50 PM
Client Address	: Kimtee colony ,Gokul Nagar,Tarnaka	Report Status	: Final Report


CLINICAL BIOCHEMISTRY
VCARE FEVER PROFILE-2

Test Name	Results	Units	Biological Reference Interval
-----------	---------	-------	-------------------------------

Liver Function Test (LFT)

 Bilirubin(Total) (Method: Diazo)	0.6	mg/dL	0.1-1.2
 Bilirubin (Direct) (Method: Diazo)	0.1	mg/dL	0.0 - 0.3
 Bilirubin (Indirect) (Method: Calculated)	0.5	mg/dL	0.2-1.0
 Aspartate Aminotransferase (AST/SGOT) (Method: IFCC UV Assay)	28	U/L	15-37
 Alanine Aminotransferase (ALT/SGPT) (Method: IFCC with out (P-S-P))	25	U/L	0-55
 Alkaline Phosphatase(ALP) (Method: Kinetic PNPP-AMP)	58	U/L	30-120
 Gamma Glutamyl Transpeptidase (GGTP) (Method: IFCC)	39	U/L	15-85
 Protein - Total (Method: Biuret)	7.1	g/dL	6.4-8.2
 Albumin (Method: Bromocresol Green (BCG))	4.1	g/dL	3.4-5.0
 Globulin (Method: Calculated)	3	g/dL	2.0-4.2
 A:G Ratio (Method: Calculated)	1.37	Ratio	0.8-2.0
 SGOT/SGPT Ratio (Method: Calculated)	1.12	Ratio	<1.0

Alanine Aminotransferase(ALT) is an enzyme found in liver and kidneys cells. ALT helps create energy for liver cells. Damaged liver cells release ALT into the bloodstream, which can elevate ALT levels in the blood.

Aspartate Aminotransferase (AST) is an enzyme in the liver and muscles that helps metabolizes amino acids. Similarly to ALT, elevated AST levels may be a sign of liver damage or liver disease.

Alkaline phosphate (ALP) is an enzyme present in the blood. ALP contributes to numerous vital bodily functions, such as supplying nutrients to the liver, promoting bone growth, and metabolizing fat in the intestines.

Gamma-glutamyl Transpeptidase (GGTP) is an enzyme that occurs primarily in the liver, but it is also present in the kidneys, pancreas, gallbladder, and spleen. Higher than normal concentrations of GGTP in the blood may indicate alcohol-related liver damage. Elevated GGTP levels can also increase the risk of developing certain types of cancer.

Bilirubin is a waste product that forms when the liver breaks down red blood cells. Bilirubin exits the body as bile in stool. High levels of bilirubin can cause jaundice - a condition in which the skin and whites of the eyes turn yellow- and may indicate liver damage.

Albumin is a protein that the liver produces. The liver releases albumin into the bloodstream, where it helps fight infections and transport vitamins, hormones, and enzymes throughout the body. Liver damage can cause abnormally low albumin levels.

*** End Of Report ***




 DR. LAVANYA LAGISETTY
 MD BIOCHEMISTRY

Page 7 of 9

LABORATORY TEST REPORT


Name	: Mr. PRATHYUSH		
Sample ID	: A1309934		
Age/Gender	: 33 Years/Male	Reg. No	: 0312502030057
Referred by	: Dr. SELF	SPP Code	: SPL-CV-172
Referring Customer	: V CARE MEDICAL DIAGNOSTICS	Collected On	: 03-Feb-2025 04:31 PM
Primary Sample	: Whole Blood	Received On	: 03-Feb-2025 06:19 PM
Sample Tested In	: Serum	Reported On	: 03-Feb-2025 09:13 PM
Client Address	: Kimtee colony ,Gokul Nagar,Tarnaka	Report Status	: Final Report


IMMUNOLOGY & SEROLOGY
VCARE FEVER PROFILE-2

Test Name	Results	Units	Biological Reference Interval
Widal Test (Slide Test) (Method: (SLIDE AGGLUTINATION))			
Salmonella typhi O Antigen	1:80		1:80 & Above Significant
Salmonella typhi H Antigen	<1:20		1:80 & Above Significant
Salmonella paratyphi AH Antigen	<1:20		1:80 & Above Significant
Salmonella paratyphi BH Antigen	<1:20		1:80 & Above Significant
Dengue Profile-Elisa			
Dengue IgG Antibody (Method: ELISA)	1.11	S/CO	< 0.8 : Negative 0.8-1.1 : Equivocal ≥ 1.1 : Positive
Dengue IgM Antibody (Method: ELISA)	0.18	S/CO	< 0.8 : Negative 0.8-1.1 : Equivocal ≥ 1.1 : Positive
Dengue NS1 Antigen (Method: ELISA)	0.29	S/Co	< 0.8~ : Negative 0.8-1.1 : Equivocal > 1.1~ : Positive

Interpretation:

Dengue viruses belong to the family Flaviviridae and have 4 subtypes (1-4). Dengue virus is transmitted by the mosquito Aedes aegypti and Aedes albopictus, widely distributed in Tropical and Subtropical areas of the world. Dengue is considered to be the most important arthropod borne viral disease due to the human morbidity and mortality it causes. The disease may be subclinical, self limiting, febrile or may progress to a severe form of Dengue hemorrhagic fever or Dengue shock syndrome.



Note: 1. Recommended test is NS1 Antigen by ELISA in the first 5 days of fever. After 7-10 days of fever, the recommended test is Dengue fever antibodies IgG & IgM by ELISA

2. Cross reactivity is seen in the Flavivirus group between Dengue virus, Murray Valley encephalitis, Japanese encephalitis, Yellow fever & West Nile viruses



LABORATORY TEST REPORT

Name	: Mr. PRATHYUSH		
Sample ID	: A1309934		
Age/Gender	: 33 Years/Male	Reg. No	: 0312502030057
Referred by	: Dr. SELF	SPP Code	: SPL-CV-172
Referring Customer	: V CARE MEDICAL DIAGNOSTICS	Collected On	: 03-Feb-2025 04:31 PM
Primary Sample	: Whole Blood	Received On	: 03-Feb-2025 06:19 PM
Sample Tested In	: Serum	Reported On	: 03-Feb-2025 09:13 PM
Client Address	: Kimtee colony ,Gokul Nagar,Tarnaka	Report Status	: Final Report



IMMUNOLOGY & SEROLOGY

VCARE FEVER PROFILE-2

Test Name	Results	Units	Biological Reference Interval
-----------	---------	-------	-------------------------------

*** End Of Report ***



Page 9 of 9

DR. RUTURAJ MANIKLAL KOLHAPURE
MD, MICROBIOLOGIST